Form - IV (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl.	Particulars		
Vo.	Destaulant St. O		
•	Particulars of the Occupier (i) Name of the authorised person (occupier or operator of facility)		MY KAUSHIK HALDER
	(ii) Name of HCF or CBMWTF		Neotla Getwee Health Care Ce
	(iii) Address for Correspondence	:	Uttaryan, siuguri, 734010
	(iv) Address of Facility		- do -
	(v)Tel. No, Fax. No	:	
	(vi) E-mail ID		writetous @ neotia heathca
	(vii) URL of Website		w.ww. neofiagetwensingun
	(viii) GPS coordinates of HCF or CBMWTF		
	(ix) Ownership of HCF or CBMWTF	*	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation A02 WPB SRE No.: N-18-2012 CV002-04000 67 valid up to 36-11-12
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to: 31 1012021
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 68
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any		NA
	other) (iii) License number and its date of expiry		32715804/31-12-2019
2	Details of CBMWTF		III. y
3.	(i) Number healthcare facilities covered by CBMWTF		
	(ii) No of beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF:	•	Kg per day

	(iv) Quantity of biomedical waste treated of by CBMWTF				g/day		_ 1.1.5
4.	Quantity of waste generated or disposed annum (on monthly average basis)	in Kg pe	r :	Yellow C Red Cate White: Blue Cat General	egory :	29	1985 311 5 47
5	Details of the Storage, treatment, transport	ation, pro	essing	and Dispos	al Facil	ity	
	(i) Details of the on-site storage : facility	Size Capa Prov	: city: (sion of	5 A.	t S	618	
	(ii) Details of the treatment or : disposal facilities	In Pl An M H Si No de Si en co	cinerato asma Py atoclave icrowav droclave dedle tip stroyer arps capsula ncrete p	ors verolysis ve ve o cutter or otton or oit ial pits:	No of unit s	Cap acit y Kg/ day	-
		dí A ec	uipmer	on: r treatment nt:			
	(iii) Quantity of recyclable wastes : sold to authorized recyclers after treatment in kg per annum.		-	ry (like pla			
	(iv) No of vehicles used for collection : and transportation of biomedical waste		010	Gree	12ex		
	(v) Details of incineration ash and ETP sludge generated and disposed	17	88	KL Qua	erated		There 155 isposed

	during the treatment of wastes in Kg per annum		Incineration Ash ETP Sludge
	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of	•	Greenzen Bio Pri UD
	(vii) List of member HCF not handed over bio-medical waste.		←
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		Yes, Sheets adtached. CInfection Control Convekes)
7	Details trainings conducted on BMW (i) Number of trainings conducted on BMW Management.		48
	(ii) number of personnel trained (iii) number of personnel trained at		321
	the time of induction (iv) number of personnel not undergone any training so far		-
	(v) whether standard manual for training is available?		THE STATE OF THE S
8	(vi) any other information) Details of the accident occurred during the year		- NO
	(i) Number of Accidents occurred (ii) Number of the persons affected		
	(iii) Remedial Action taken (Please attach details if any)		
9.	(iv) Any Fatality occurred, details. Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		νb
	Details of Continuous online emission monitoring systems installed		
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		γvŌ
11	Is the disinfection method or sterilization meeting the log 4		

		and a commentation of the comment of
standards? How many times you have not met the standards in a year?		
Any other relevant information	1:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the	e period from
01-7AN-2	2018 to 31-DEC-2018
	Name and Signature of the The Institution
Date: 12/8/2019 Place Siliguri	Mr. Kanspik Hataer, Siliguri Siliguri