

Form - IV
(See rule 13)
ANNUAL REPORT

24/06/2020
RECEIVED
Contents Not Verified
West Bengal Pollution Control
SILIGURI REGIONAL OFFICE
PARIBAHAN NAGAR
P.O. - Malgaon-734001
Dist. - Darjeeling

be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Particulars		
Particulars of the Occupier	:	
(i) Name of the authorised person (occupier or operator of facility)	:	MP KAUSHIK HALDER
(ii) Name of HCF or CBMWTF	:	NEOTIA GETWELL HEALTH
(iii) Address for Correspondence	:	UTTARAYAN TOWNSHIP, MA
(iv) Address of Facility	:	SILIGURI - 734010, W.B.
(v) Tel. No, Fax. No	:	
(vi) E-mail ID	:	WRITETOLS@NEOTIAHEALTH
(vii) URL of Website	:	www.neotiagetwellillguri.c
(viii) GPS coordinates of HCF or CBMWTF	:	
(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other)
(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation A02/WPB/SRF No.: BMA/DARI.N.-18-2012 (Y.O. 0000/67370) valid up to 30/11/20
(xi). Status of Consents under Water Act and Air Act	:	Valid up to: 31/10/2021
Type of Health Care Facility	:	
(i) Bedded Hospital	:	No. of Bed: 217
(ii) Non-bedded hospital	:	
(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
(iii) License number and its date of expiry	:	32715804/31-12-2021
Details of CBMWTF	:	-NA
(i) Number healthcare facilities covered by CBMWTF	:	
(ii) No of beds covered by CBMWTF	:	
(iii) Installed treatment and disposal capacity of CBMWTF:	:	_____ Kg per day

	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	_____ Kg/day																																																
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : 1998																																																
			Red Category : 3420																																																
			White: 92																																																
			Blue Category : 313																																																
			General Solid waste: NA																																																
5	Details of the Storage, treatment, transportation, processing and Disposal Facility																																																		
	(i) Details of the on-site storage facility	:	Size : 247 sq ft																																																
		:	Capacity : 1500 lg.																																																
		:	Provision of on-site storage : (cold storage or any other provision) Separate colour seal bins have																																																
	(ii) Details of the treatment or disposal facilities	:	<table border="1"> <thead> <tr> <th>Type of treatment equipment</th> <th>No of units</th> <th>Capacity Kg/day</th> <th>Quantity treated or disposed per annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Plasma Pyrolysis</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Autoclaves</td> <td>02</td> <td>150</td> <td>3640</td> </tr> <tr> <td>Microwave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Hydroclave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Shredder</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Sharps encapsulation or concrete pit</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Deep burial pits:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Chemical disinfection:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Any other treatment equipment:</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed per annum	Incinerators				Plasma Pyrolysis				Autoclaves	02	150	3640	Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer				Sharps encapsulation or concrete pit				Deep burial pits:				Chemical disinfection:				Any other treatment equipment:			
		Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed per annum																																														
	Incinerators																																																		
Plasma Pyrolysis																																																			
Autoclaves	02	150	3640																																																
Microwave																																																			
Hydroclave																																																			
Shredder																																																			
Needle tip cutter or destroyer																																																			
Sharps encapsulation or concrete pit																																																			
Deep burial pits:																																																			
Chemical disinfection:																																																			
Any other treatment equipment:																																																			
			B.M																																																
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.) NA																																																
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	01. Greenzen Pvt Ltd																																																
	(v) Details of incineration ash and ETP sludge generated and disposed	:	2160 KL Quantity generated Where disposed Greenzen Pvt Ltd																																																

	during the treatment of wastes in Kg per annum	Incineration - Ash - ETP Sludge 700 kg.
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	Greenzen Poiso Pvt Ltd
	(vii) List of member HCF not handed over bio-medical waste.	Mr
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Yes, Sheet attached. (Infection Control Committee.)
7	Details trainings conducted on BMW	
	(i) Number of trainings conducted on BMW Management.	11
	(ii) number of personnel trained	214
	(iii) number of personnel trained at the time of induction	374
	(iv) number of personnel not undergone any training so far	-
	(v) whether standard manual for training is available?	Yes,
	(vi) any other information)	POLICY is Available.
8	Details of the accident occurred during the year	
	(i) Number of Accidents occurred	27
	(ii) Number of the persons affected	27
	(iii) Remedial Action taken (Please attach details if any)	-
	(iv) Any Fatality occurred, details.	-
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	NO
	Details of Continuous online emission monitoring systems installed	
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	NO
11	Is the disinfection method or sterilization meeting the log 4	-

	standards? How many times you have not met the standards in a year?		←
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from

JANUARY-2019 TO DECEMBER-2019

[Handwritten Signature]

Name and Signature of the Head of the Institution

Date: 23/06/2020
Place: SILIGURI

